



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	3 Mirror Annealed	
Product Code	3SIL	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 4	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	A1
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	NPD
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	4 Mirror Annealed	
Product Code	4SIL	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 4	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	A1
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	NPD
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	6 Mirror Annealed	
Product Code	6SIL	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 4	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	A1
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	NPD
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	4 Antique Mirror Annealed	
Product Code	4ANZSIL	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 4	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	A1
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	NPD
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	4 Low Iron Mirror Annealed	
Product Code	4LOZSIL	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 4	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	A1
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	NPD
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	6 Low Iron Mirror Annealed	
Product Code	6LOZSIL	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 4	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	A1
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	NPD
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	4 Bronze Mirror Annealed	
Product Code	4BRZSIL	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 4	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	A1
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	NPD
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	6 Bronze Mirror Annealed	
Product Code	6BRZSIL	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 4	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	A1
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	NPD
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed: 

Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	4 Grey Mirror Annealed	
Product Code	4GRZSIL	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 4	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	A1
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	NPD
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	6 Grey Mirror Annealed	
Product Code	6GRZSIL	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 4	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	A1
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	NPD
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	3 Mirror Annealed safety backed	
Product Code	3SILSB	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	4 Mirror Annealed safety backed	
Product Code	4SILSB	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed: 

Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	6 Mirror Annealed safety backed	
Product Code	6SILSB	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	4 Antique Mirror Annealed safety backed	
Product Code	4ANZSILSB	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	4 Low Iron Mirror Annealed safety backed	
Product Code	4LOZSILSB	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	6 Low Iron Mirror Annealed safety backed	
Product Code	6LOZSILSB	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	4 Bronze Mirror Annealed safety backed	
Product Code	4BRZSILSB	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	6 Bronze Mirror Annealed safety backed	
Product Code	6BRZSILSB	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	4 Grey Mirror Annealed safety backed	
Product Code	4GRZSILSB	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	6 Grey Mirror Annealed safety backed	
Product Code	6GRZSILSB	
Year marking was affixed	17	
Intended Use	Mirrors for internal use, intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 1036-2 : 2008	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	4.4 Laminated Annealed	
Product Code	4.4LAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	5.1 Laminated Annealed	
Product Code	5.1LAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	5.1 Green Laminated Annealed	
Product Code	5.1GRNLAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	6.4 Laminated Annealed	
Product Code	6.4LAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	8.8 Acoustic Laminated Annealed	
Product Code	8.8ACSTICLAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	10.8 Laminated Annealed	
Product Code	10.8LAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	10.8 Acoustic Laminated Annealed	
Product Code	10.8ACSTICLAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	10.8 Low Iron Laminated Annealed	
Product Code	10.8LOWLAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	11.5 Laminated Annealed	
Product Code	11.5LAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	12.8 Laminated Annealed	
Product Code	12.8LAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	12.8 Acoustic Laminated Annealed	
Product Code	12.8ACSTICLAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024



Declaration of Performance

Manufacturer	MiGlass Limited 51 Downing Street Smethwick West Midlands B66 2PP	
Product Type	16.8 Acoustic Laminated Annealed	
Product Code	16.8ACSTICLAM	
Year marking was affixed	17	
Intended Use	Laminated safety glass intended to be used in building and construction works	
System of Attestation of Conformity	System 3	
Applicable Standard	EN 14449 : 2005	
Third Party Approval License No.	KM 658201	
Certification Body and ID number	BSI	0086

Characteristics	Performance
Resistance to fire	NPD
Reaction to fire	NPD
External fire performance	NPD
Bullet resistance	NPD
Explosion resistance	NPD
Burglar resistance	NPD
Pendulum body impact resistance	2(B)2
Resistance against sudden temperature change and temperature differentials	NPD
Wind, snow, permanent and imposed load resistance	NPD
Direct airbourne sound insulation	NPD
Thermal properties	NPD
Light transmission and reflection	NPD
Solar energy characteristics	NPD
Normal Emissivity	NPD

It is the responsibility of the user(s) of this information to ensure the use of the glass product complies with all relevant laws, regulations, standards and is fit for purpose.

This declaration is issued under the sole responsibility of the manufacturer.

Signed:



Position: Managing Director

Date: 27/11/2024